REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

			HE ABOVE ADDRESS.				
	EPORT DATE (DD-MM-YYYY) 2. REPORT TYPE				3. DATES COVERED (From - To)		
	-02-2013		Final			Nov 2010-Jul 2013	
4. TITLE AND	SUBTITLE				5a. CO	NTRACT NUMBER	
			us hydroxocobalamin ii				
treatment of acute, severe cyanide induced cardiotoxicity of severe hypotension 5b. GRANT NUMBER							
and of cardiac arrest in a swine (Sus Scrofa) model						FWH20100170A	
T .							
Intravenous cobinamide, a novel cyanide antidote, versus hydroxocobalamin in the treatment of acute cyanide toxicity and apnea in a swine (Sus Scrofa) model						OGRAM ELEMENT NUMBER	
the treatment (n acute cyaniu	e toxicity and	apnea in a swine (Sus S	crora) moder			
6. AUTHOR(S) 5d. PRO						OJECT NUMBER	
Bebarta, Vikhyat S.						FWH20100170A	
Ross Garry							
Boudreau, Susan M.						SK NUMBER	
Castaneda, Maria G.							
Tanen, David 5f. W					5f. WO	RK UNIT NUMBER	
7 050500111		ON N 4845(O) 4	ND ADDRESS (FO)			LO DEDECRAMINO ODO ANIZATIONI	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)						8. PERFORMING ORGANIZATION REPORT NUMBER	
59th Medical Operations Squadron							
Wilford Hall Ambulatory Surgical Center						FWH20100170A	
2200 Bergquist Drive Bldg 4550							
Lackland AFB, TX 78236					10. SPONSOR/MONITOR'S ACRONYM(S)		
	Office of the Air Force Surgeon General						
Directorate for Modernization, SGRS						11. SPONSOR/MONITOR'S REPORT	
5201 Leesburg Pike, Suite 1206					NUMBER(S)		
Falls Church, VA 22401							
12 DISTRIBUT	ION/AVAILARII	ITV STATEMEN					
12. DISTRIBUTION/AVAILABILITY STATEMENT							
Distribution A. Approved for public release; distribution unlimited.							
13. SUPPLEMENTARY NOTES							
14. ABSTRACT	•						
					: 4-(CN)) in decord and a control of the interconnection (NV)	
Obj: Compare time to breathing between 3 groups of swine (11/group) with cyanide(CN) induced apnea; treated with intravenous(IV)							
hydroxocobalamin(HOC), IV cobinamide(COB), or IV normal saline(NS) control. Method:33 swine(45-55kg) intubated,							
anesthetized & instrumented (MAP and cardiac output). Isoflurane low to allow breathing; room air(0.21FiO2). CN infused until apnea. Given HOC(65mg/kg), COB(12.5mg/kg) or NS(20ml) & monitored 60min. Results:Weight, time to apnea, & CN dose similar							
(p>0.10). At treatment, blood CN, lactate levels, & decrease in MAP similar (p>0.10). 2/11 swine in NS group survived(p<0.001),							
compared to 10/11 in HOC & 10/11 in COB group. Time to breaths post treatment similar (HOC 1:48min, COB 1:49min). Blood CN							
levels undetectable post HOC or COB infusion. No statistically significant differences were detected between groups for CO, MAP,							
RR, or min vent at 60min. Lactate, pH, and PCO2 at 60 min were similar (p>0.10). Conclusion: IV COB led to similar time to							
						s as potent as hydroxocobalamin.	
15. SUBJECT T						•	
hydroxocobalamin, cobinamide, cyanide, poisoning, Vitamin B12a, Vit B12, hypotension, cardiac arrest, apnea							
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF 18. NUMBER 19a. NAME OF RESPONSIBLE PERSON							
a REPORT b ARSTRACT C THIS PAGE ABSTRACT OF V						ikhyat S. Bebarta, MD	
				PAGES	•	LEPHONE NUMBER (Include area code)	
U	U	U	SAR		IJD. IEL	210-275-3794	

Title: Intravenous cobinamide, a novel cyanide antidote, versus hydroxocobalamin in the treatment of acute cyanide toxicity and apnea in a swine (Sus Scrofa) model

Background: Hydroxocobalamin (HOC) is an FDA approved antidote for cyanide (CN) toxicity. Cobinamide (COB) is a novel antidote that has two cyanide binding sites, is more potent than HOC, and can be infused in a small volume, but its efficacy has not been clearly established. No study has directly compared HOC to COB in a severe, cyanide-toxic large animal model.

Objective: To compare the time to spontaneous breathing between 3 groups of swine with acute CN induced apnea and treated with IV HOC, IV COB, or IV normal saline (NS) control.

Methods: 33 swine (45-55 kg) intubated, anesthetized and instrumented (continuous MAP and cardiac output (CO)). Inhaled anesthesia lowered to allow spontaneous breath on room air (0.21 FiO2). CN infused until apnea. Observed 1min before treatment. 11 swine per group randomly assigned to IV HOC (65mg/kg), IV COB (12.5mg/kg) or NS (20ml) and monitored for 60min. **Results:** Baseline weight, time to apnea, and CN dose were similar (p>0.10). At treatment, blood CN, lactate levels, and decrease in MAP from baseline were similar (p>0.10). 2/11 animals in NS group survived (p<0.001), compared to 10/11 in HOC group and 10/11 in COB group. Time to spontaneous breaths post antidote was similar (HOC 1:48 min:sec, COB 1:49 min:sec). Blood CN levels undetectable post HOC or COB infusion. No statistically significant differences were detected between groups for CO, MAP, RR, or min ventilation at 60 min. Lactate, pH, and PCO2 at 60 min were similar (p>0.10). **Conclusion:** Intravenous cobinamide led to a similar time to spontaneous respirations as intravenous hydroxocobalamin for cyanide induced apnea and severe toxicity. Cobinamide was 5 times as potent as hydroxocobalamin.